

# Channel Bulletin

| LATEST NEWS FROM EPSON

**EPSON**  
EXCEED YOUR VISION

September 2017

## Epson ELP-DC13 Document Camera



For further information please visit [www.epson.com.au](http://www.epson.com.au)



## KEY FEATURES:

- **Deliver powerful lessons with extraordinary close-up detail** — 16x digital zoom
- **Advanced connectivity** — HDMI digital connectivity for high-definition video
- **Share magnified images** — microscope adapter included; supports many standard microscopes
- **Record and share audio/video lessons** — built-in microphone and included software; one-touch A/V recording
- **Ultra-smooth video performance** — 30 frames per second (fps) at 1080p
- **Capture, save and present images** — supports SD cards and computers
- **Convenient Freeze and Capture buttons** — easily pause and/or resume the image

For further information please visit [www.epson.com.au](http://www.epson.com.au)



# FEATURES AND BENEFITS:

## Bright and detailed images

With a large, highly efficient 1/2.7" CMOS imaging sensor, the ELP-DC13 delivers bright images with high quality that will bring life to classroom activities. Paired with 16x digital zoom capabilities, capturing the finest details of an object is a breeze. Even large objects are no issue for the ELP-DC13. Large capture area (maximum 297 x 526 mm at 1080p resolution) makes it easy to display full A3 sized pages.



At 30 frames per second video playback is seamless. Recording live images and video at Full HD 1080p resolution in any task has never been so ultra-smooth and astonishing.

## Auto-select resolution

Connect the ELP-DC13 to an Epson projector, and it automatically detects the projector's native resolution, whether it's XGA, WXGA, 720p or 1080p and optimises output to suit. One touch auto-focus and an easy to understand control panel make the ELP-DC13 a flexible teaching tool for a more interactive learning experience that will engage students.

## Powerful tool for any user



The mechanical body structure allows the camera to rotate 90 degrees vertically and horizontally so it can also be used as a webcam to capture classroom activities or for videoconferencing. Capture, store and present images with an SD card or computer.

Capturing audio along with video is simple thanks to the built in microphone, and brightening up an image is as simple as turning on the incorporated LED lighting system.



The ELP-DC13 can easily display two A4 sized documents. The Split Screen function is a great collaboration tool allowing for side-by-side display. Project a live feed from the camera along with a picture or movie file from the SD card.

The ELP-DC13 also features an adapter which enables users to connect to a broad range of microscopes. ELP-DC13 is now compatible with Epson EIT (Easy Interactive Tools), users can take advantage of features such as split screen mode, video recording with audio, image capturing and saving recordings to an SD card or computer.



For further information please visit [www.epson.com.au](http://www.epson.com.au)

## Portable and durable design

The compact design is ideal for space-constrained areas and the robust metal arm offers durability. Kensington lock, built-in security bar and mounting holes offer added peace of mind.



## Fast setup with advanced connectivity

The versatile yet simple connectivity of the ELP-DC13 makes setup quick and easy. USB or VGA for easy connection to a PC/MAC; HDMI and VGA for connecting to a projector; and an SD card slot for opening or saving files directly from the document camera.

## All new remote

Have all the key functions at your fingertips. The newly added shortcuts allow for quick access to the SD card viewer, image rotation and switching between sources.



For further information please visit [www.epson.com.au](http://www.epson.com.au)



## Pricing

| DESCRIPTION | PRODUCT CODE | RRP (INC GST) |
|-------------|--------------|---------------|
| ELP-DC13    | V12H757053   | \$599         |

## Part Numbers and Dimensions

| DESCRIPTION                     | PRODUCT CODE       | BARCODE       |
|---------------------------------|--------------------|---------------|
| ELP-DC13                        | V12H757053         | 9314020621079 |
| PRODUCT DIMENSIONS              |                    |               |
| Dimensions – Open (D x W x H)   | 447 x 270 x 317 mm |               |
| Dimensions – Closed (D x W x H) | 120 x 367 x 122 mm |               |
| Weight                          | 2.5kg              |               |

For further information please visit [www.epson.com.au](http://www.epson.com.au)



# Specification

| Model                              | ELP-DC13   |
|------------------------------------|--|
| RRP (inc GST)                      | \$599.00   |
| RRP (ex GST)                       | \$544.55   |
| Native Resolution                  | 1080P  |
| Pick Up Device                     | CMOS 1 /2.7" sensor  |
| Zoom                               | 16 x Digital zoom  |
| Megapixels                         | 2MP  |
| Frame Rate                         | Max 30 fps   |
| Output Resolution                  | Analogue: SXGA / XGA / WXGA / HD/ 1080p<br>USB : VGA / SVGA / XGA / SXGA / WXGA / 720p / 1080p<br>HDMI : 480p / 720p / 1080p |
| Shooting Area                      | Max 297 x 526 mm   |
| White Balance                      | Auto   |
| Exposure                           | Auto   |
| Focus                              | Auto (press AF button)   |
| Lens                               | Optical Zoom f/2   |
| Microphone                         | Built-in   |
| Inputs                             | VGA, SD Card   |
| Outputs                            | VGA, USB-B, HDMI   |
| Illumination                       | White LED x 2  |
| Kensington Lock                    | Yes  |
| Power Supply Voltage               | 100 - 240V AC  |
| Output Voltage of AC Power Adapter | DC 12V   |
| Power Consumption                  | 13W  |
| Power Consumption (Standby Mode)   | Less than 0.5W   |
| Compatibility                      | Windows XP SP2 or later, Windows Vista, Windows 7 or later, Mac X 10.5x, 10.6x, 10.7x, 10.8x, 10.9x and 10.10x               |
| Software Application               | EPSON EIT (Easy Interactive Tools)<br>Ver. 4.21 for Windows<br>Ver. 4.21 for Mac   |

For further information please visit [www.epson.com.au](http://www.epson.com.au)



## Key Comparison

| Model   | ELP-DC12                                       | ELP-DC13                                 |
|---|--|--|
| <b>Video Chip set / Memory Pick Up Device</b> | 1/2.7" CMOS                                    | 1/2.7" CMOS                              |
| <b>Video Pixels</b>                           | 2M pixels                                      | 2M pixels                                |
| <b>Video Frame Rate</b>                       | Max 30fps                                      | Max 30fps                                |
| <b>Output</b>                                 | VGA, HDMI,<br>USB-B (up to SXGA),<br>Composite | VGA, HDMI,<br>USB-B <b>(up to 1080P)</b> |
| <b>Focus</b>                                  | Auto   | Auto                                     |
| <b>Input</b>                                  | VGA, USB-A,<br>External Microphone, SD Card    | VGA, SD Card                             |
| <b>Microphone (Internal / External)</b>       | Yes / Yes                                      | Yes / N/A                                |
| <b>Digital Zoom</b>                           | Max 16x  | Max 16x                                  |
| <b>Total Zoom</b>                             | Max 16x  | Max 16x                                  |
| <b>Parallel (Multiple) Output</b>             | N/A  | Yes<br>(VGA, HDMI, USB)                  |
| <b>Internal Memory</b>                        | Yes  | N/A                                      |
| <b>Kensington Lock</b>                        | Yes  | Yes                                      |
| <b>Software Application</b>                   | ArcSoft application software                   | Easy Interactive Tools                   |
| <b>Dimensions<br/>D x W x H mm (folded)</b>   | 124 x 340 x 125 mm                             | 120 x 367 x 122 mm                       |
| <b>Weight</b>                                 | 2.8kg  | 2.5kg                                    |

For further information please visit [www.epson.com.au](http://www.epson.com.au)



# Connectivity Configurations

## ELP-DC13



For further information please visit [www.epson.com.au](http://www.epson.com.au)

